INDEX TO AUTHORS

A

Amos, Harold. See Hancock and Amos, C1

B

Bather, R. See Sweeny and Bather, 299
Benyesh-Melnick, Matilda. See McCombs, Benyesh-Melnick, and Brunschwig, 231
Bergman, Ronald A. Uterine smooth muscle fibers in castrate and estrogen-treated rats, 639
Bischoff, Richard, and Holtzer, Howard. The effect of mitotic inhibitors on myogenesis in vitro, 111
Bond, Howard E. See Boone, Harell, and Bond, 369
Boone, Charles W., Harell, George S., and Bond, Howard E. The resolution of mixtures of viable mammalian cells into homogeneous fractions by zonal centrifugation, 369
Borle, André Bernard. Calcium metabolism in HeLa cells and the effects of parathyroid hormone, 567
Brega, Agnese, Falaschi, Arturo, De Carli, Luigi, and Pavan, Mario. Studies on the mechanism of action of pederine, 485
Brunschwig, J. Pierre. See McCombs, Benyesh-Melnick, and Brunschwig, 231
Burg, Maurice B. See Ganote, Grantham, Moses, Burg, and Orloff, 355
Burke, J. F. See Leak and Burke, 129

C

Caplan, Arnold I., and Greenawalt, John W. The effects of osmotic lysis on the oxidative phosphorylation and compartmentation of rat liver mitochondria, 15
Carothers, Zane B., and Kreitner, Gerald L. Studies of spermatogenesis in the hepaticae. II. Blepharoplast structure in the spermatid of *Marchantia*, 603
Cattoni, M. See Kumegawa, Cattoni, and Rose, 443
Christensen, A. Kent. See Frank and Christensen, 1
Cohen, Alan S. See Hayashi, Shirahama, and Cohen, 289
Collins, Janet V. See Locke and Collins, 453

D

Dales, Samuel. See Silverstein and Dales, 197
Darnell, J. E. See Soeiro, Vaughan, and Darnell, 91
De Carli, Luigi. See Brega, Falaschi, De Carli, and Pavan, 485

E

Elliott, Alfred M., and Zieg, Roger G. A Golgi apparatus associated with mating in *Tetrahymena pyriformis*, 391
Enger, M. D., Tobey, R. A., and Saponara, A. G. RNA synthesis in Chinese hamster cells. I. Differential synthetic rate for ribosomal RNA in early and late interphase, 583

F

Fabrikant, Jacob I. The kinetics of cellular proliferation in the regenerating liver, 551
Falaschi, Arturo. See Brega, Falaschi, De Carli, and Pavan, 485
Farber, Emmanuel. See Shinozuka, Goldblatt, and Farber, 313
Fawcett, Don W. The sporadic occurrence in cardiac muscle of anomalous Z bands exhibiting a periodic structure suggestive of tropomyosin, 266
Flaks, Bojan. Formation of membrane-glycogen arrays in rat hepatoma cells, 410
Flaxman, B. Allen, Lutzner, Marvin A., and Van Scott, Eugene J. Ultrastructure of cell attachment to substratum in vitro, 406
Flexner, Louis B. See Gambetti, Gonatas, and Flexner, 379
Frank, Arthur L., and Christensen, A. Kent. Localization of acid phosphatase in lipofuscin granules and possible autophagic vacuoles in interstitial cells of the guinea pig testis, 1

G

Gambetti, Pierluigi, Gonatas, Nicholas K., and Flexner, Louis B. The fine structure of puromycin-induced changes in mouse entorhinal cortex, 379
Ganote, Charles E., Grantham, Jared J., Moses, Harold L., Burg, Maurice B., and Orloff, Jack. Ultrastructural studies of vasopressin effect on isolated perfused renal collecting tubules of the rabbit, 355
Garant, Philias R. Glycogen-membrane complexes within mouse striated muscle cells, 648
Gibbons, I. R. See Renaud, Rowe, and Gibbons, 79
Goldberg, Alfred L. Protein synthesis during work-induced growth of skeletal muscle, 653
Goldblatt, Peter J. See Shinozuka, Goldblatt, and Farber, 313
Goldstein, Lester, and Prescott, David M. Proteins in nucleocytoplasmic interactions. II. Turnover and changes in nuclear protein distribution with time and growth, 53

GOMEZ-ACEBO, J., PARRILLA,. R, and R-CANDELA, J. L. Fine structure of the A and D cells of the rabbit endocrine pancreas in vivo and incubated in vitro. I. Mechanism of secretion of the A cells, 33
GONATAS, NICHOLAS K. See GAMBETTI, GONATAS, and FLEXNER, 379
GONDOS, BERNARD. See ZAMBONI and GONDOS, 276
GRANTHAM, JARED J. See GANOTE, GRANTHAM, MOSES, BURG, and ORLOFF, 355
GREENAWALT, JOHN W. See CAPLAN and GREENAWALT, 15
GREENWOOD, D. See STOCKING, SHUMWAY, WEIER, and GREENWOOD, 270

H

HAGOPIAN, MARTIN, and SPIRO, DAVID. The filament lattice of cockroach thoracic muscle, 433
HANCOCK, RONALD, and AMOS, HAROLD. Nuclear binding of exogenous histones by L cells at low pH, C1
HARELL, GEORGE S. See BOONE, HARELL, and BOND, 369
HAYASHI, MASANDO, SHIRAHAMA, TSURANOBU, and COHEN, ALAN S. Combined cytochemical and electron microscopic demonstration of β-glucuronidase activity in rat liver with the use of a simultaneous-coupling azo dye technique, 289
HOLTZER, HOWARD. See BISCHOFF and HOLTZER, 111

J

JENSEN, WILLIAM A. Cotton embryogenesis. Polysome formation in the zygote, 403
JENTZSCH, GISELA. See ROBBINS, JENTZSCH, and MICALI, 329
JOHNSON, EDWARD A. See SOMMER and JOHNSON, 497
JOHNSON, TERRY C., LERNER, MICHAEL P., and LANCZ, GERALD J. Inhibition of protein synthesis in noninfected L cells by partially purified interferon preparations, 617

K

KAHRI, A. I. Effects of actinomycin D and puromycin on the ACTH-induced ultrastructural transformation of the mitochondria of cortical cells of rat adrenals in tissue culture, 181
KESSEL, R. G. Fine structure of annulate lamellae, 658
KLAUS, SIDNEY N. The effect of colchicine on mosaic patterns in cultured cells, 399
KLING, J. M. See SIMPSON and KLING, 103
KREITNER, GERALD L. See CAROTHERS and KREITNER, 603
KUMEGAWA, M., CATTONI, M., and ROSE, GEORGE G. Electron microscopy of oral cells in vitro. II. Subsurface and intracytoplasmic confronting cisternae in strain KB cells, 443

L

LANCZ, GERALD J. See JOHNSON, LERNER, and LANCZ, 617
LAZARUS, L. H., and SCHERBAUM, O. H. Activity of ribonuclease, acid phosphatase, and phosphodiesterase in *Tetrahymena pyriformis* during growth, 415
LEACH, WILLIAM M. The thymidine pool in grasshopper neuroblasts during mitosis, 282
LEAK, L. V., and BURKE, J. F. Ultrastructural studies on the lymphatic anchoring filaments, 129
LERNER, MICHAEL P. See JOHNSON, LERNER, and LANCZ, 617
LOCKE, M., and COLLINS, JANET V. Protein uptake into multivesicular bodies and storage granules in the fat body of an insect, 453
LUTZNER, MARVIN A. See FLAXMAN, LUTZNER, and VAN SCOTT, 406

M

MARTIN, RAINER, and ROSENBERG, PHILIP. Fine structural alterations associated with venom action on squid giant nerve fibers, 341
MATSUURA, SHIRO. See TASHIRO, MATSUURA, MORIMOTO, and NAGATA, C5
MCCOMBS, ROBERT M., BENYESH-MELNICK, MATILDA, and BRUNSCHWIG, J. PIERRE. The use of Millipore filters in ultrastructural studies of cell cultures and viruses, 231
MICALI, ANITA. See ROBBINS, JENTZSCH, and MICALI, 329
MORGAN, RICHARD S., SLAYTER, HENRY S., and WELLER, DAVID L. Isolation of ribosomes from cysts of *Entamoeba invadens*, 45
MORIMOTO, TAKASHI. See TASHIRO, MATSUURA, MORIMOTO, and NAGATA, C5
MORGAN, WINFIELD S. Ductal excretion of neutral red lysosomes in the mouse pancreas, 261
MOSES, HAROLD L. See GANOTE, GRANTHAM, MOSES, BURG, and ORLOFF, 355

N

NAGATA, SUNAO. See TASHIRO, MATSUURA, MORIMOTO, and NAGATA, C5

O

ORLOFF, JACK. See GANOTE, GRANTHAM, MOSES, BURG, and ORLOFF, 355

P

PALAY, SANFORD L. See SOTELO and PALAY, 151
PARRILLA, R. See GOMEZ-ACEBO, PARRILLA, and R-CANDELA, 33
PAVAN, MARIO. See BREGA, FALASCHI, DE CARLI, and PAVAN, 485
PIERI, J., VAUGIEN, C., and TROUILLIER, M. Interpretation cytophotometrique des phenomenes micronucleaires au cours de la division binaire et des divisions pregamiques chez *Paramecium trichium*, 664
PRESCOTT, DAVID M. See GOLDSTEIN and PRESCOTT, 53

R

R-CANDELA, J. L. See GOMEZ-ACEBO, PARRILLA, and R-CANDELA, 33

REED, THOMAS H. See SAGEBIEL and REED, 595
RENAUD, F. L., ROWE, A. J., and GIBBONS, I. R. Some properties of the protein forming the outer fibers of cilia, 79
ROBBINS, ELLIOTT, JENTZSCH, GISELA, and MICALI, ANITA. The centriole cycle in synchronized HeLa cells, 329
ROGERS, M. ELIZABETH. Ribonucleoprotein particles in the amphibian oocyte nucleus. Possible intermediates in ribosome synthesis, 421
ROSE, GEORGE G. See KUMEGAWA, CATTONI, and ROSE, 443
ROSENBERG, PHILIP. See MARTIN and ROSENBERG, 341
ROSENBLUTH, JACK. Obliquely striated muscle. IV. Sarcoplasmic reticulum, contractile apparatus, and endomysium of the body muscle of a polychaete, *Glycera*, in relation to its speed, 245
ROWE, A. J. See RENAUD, ROWE, and GIBBONS, 79

S

SAGEBIEL, RICHARD W., and REED, THOMAS H. Serial reconstruction of the characteristic granule of the Langerhans cell, 595
SAPONARA, A. G. See ENGER, TOBEY, and SAPONARA, 583
SATIR, P. See STUART and SATIR, 527
SCHERBAUM, O. H. See LAZARUS and SCHERBAUM, 415
SHINOZUKA, HISASHI, GOLDBLATT, PETER J., and FARBER, EMMANUEL. The disorganization of hepatic cell nucleoli induced by ethionine and its reversal by adenine, 313
SHIRAHAMA, TSURANOBU. See HAYASHI, SHIRAHAMA, and COHEN, 289
SHUMWAY, L. K. See STOCKING, SHUMWAY, WEIER, and GREENWOOD, 270
SILVERSTEIN, SAMUEL C., and DALES, SAMUEL. The penetration of reovirus RNA and initiation of its genetic function in L-strain fibroblasts, 197
SIMPSON, CHARLES F., and KLING, J. M. The mechanism of mitochondrial extrusion from phenylhydrazine-induced reticulocytes in the circulating blood, 103
SLAYTER, HENRY S. See MORGAN, SLAYTER, and WELLER, 45
SOEIRO, R., VAUGHAN, M. H., and DARNELL, J. E. The effect of puromycin on intranuclear steps in ribosome biosynthesis, 91
SOMMER, JOACHIM R., and JOHNSON, EDWARD A. Cardiac muscle. A comparative study of Purkinje fibers and ventricular fibers, 497
SOTELO, CONSTANTINO, and PALAY, SANFORD L. The fine structure of the lateral vestibular nucleus in the rat. I. Neurons and neuroglial cells, 151
SPIRO, DAVID. See HAGOPIAN and SPIRO, 433
STEIN, OLGA, and STEIN, YECHEZKIEL. Lipid synthesis, intracellular transport, and storage. III. Electron microscopic radioautographic study of rat heart perfused with tritiated oleic acid, 63
STEIN, YECHEZKIEL. See STEIN and STEIN, 63
STOCKING, C. R., SHUMWAY, L. K., WEIER, T. E., and GREENWOOD, D. Ultrastructure of chloroplasts isolated by nonaqueous extraction, 270
STUART, A. M., and SATIR, P. Morphological and functional aspects of an insect epidermal gland, 527
SWEENY, P. R., and BATHER, R. An electron microscopic study of the chorioallantoic membrane following infection with Rous sarcoma virus, 299

T

TASHIRO, YUTAKA. MATSUURA, SHIRO, MORIMOTO, TAKASHI, and NAGATA, SUNAO. Extrusion of nuclear materials into cytoplasm in the posterior silk gland cells of silkworm, *Bombyx mori*. C5
TOBEY, R. A. See ENGER, TOBEY, and SAPONARA, 583
TROUILLIER, M. See PIERI, VAUGIEN, and TROUILLIER, 664

U

USSING, HANS H. See VOÛTE and USSING, 625

V

VAN SCOTT, EUGENE J. See FLAXMAN, LUTZNER, and VAN SCOTT, 406
VAUGHAN, M. H. See SOEIRO, VAUGHAN, and DARNELL, 91
VAUGIEN, C. See PIERI, VAUGIEN, and TROUILLIER, 664
VOÛTE, CORNELIS L., and USSING, HANS H. Some morphological aspects of active sodium transport. The epithelium of the frog skin, 625

W

WEIER, T. E. See STOCKING, SHUMWAY, WEIER, and GREENWOOD, 270
WELLER, DAVID L. See MORGAN, SLAYTER, and WELLER, 45

Z

ZAMBONI, LUCIANO, and GONDOS, BERNARD. Intercellular bridges and synchronization of germ cell differentiation during oogenesis in the rabbit, 276
ZIEG, ROGER G. See ELLIOTT and ZIEG, 391

INDEX TO SUBJECTS

A

Acid phosphatase, localization of, in lipofuscin granules and possible autophagic vacuoles in interstitial cells of guinea pig testis, EM cytochemical study, 1

— phosphatase and ribonuclease and phosphodiesterase, activity of in *Tetrahymena pyriformis* during growth, biochemical analysis of cell homogenates, 415

ACTH-induced ultrastructural transformation of mitochondria, in cortical cells of cultured adrenal of rat, effects of actinomycin D and puromycin on, EM study, 181

Actinomycin D and puromycin, effects of on ACTH-induced ultrastructural transformation of mitochondria in cortical cells of cultured adrenal of rat, EM study, 181

Adenine, effect in reversal of disorganization of cell nucleoli induced by ethionine, in rat liver, EM study, 313

Adrenal, cultured, of rat, effects of actinomycin D and puromycin on ACTH-induced ultrastructural transformation of mitochondria of cortical cells in, EM study, 181

Amphibia, *Triturus* and *Amblystoma*, ribonucleoprotein particles in oocyte nucleus, possible intermediates in ribosome synthesis, biochemical study, 421

Annelid, bloodworm *Glycera*, obliquely striated body muscle, structure and organization of sarcoplasmic reticulum and contractile apparatus and endomysium of, relationship to speed of contraction, EM study, 245

Annulate lamellae, in oocytes of echinoderm and frog, and in spermatocytes of crayfish, fine structure of with reference to granules and fibrils associated with dense material, EM study, 658

Autophagic vacuoles and lipofuscin granules, in interstitial cells of guinea pig testis, localization of acid phosphatase in, EM cytochemical study, 1

Axon, giant, of squid, fine structural alterations in Schwann sheath and nerve fiber produced by action of snake venoms, EM study, 341

Azo dye technique, simultaneous-coupling, use of in localization of β-glucuronidase activity in parenchymal cells of rat liver, EM cytochemical study, 289

B

Beta-glucuronidase activity, in parenchymal cells of rat liver, localization of by use of simultaneous-coupling azo dye technique, EM cytochemical study, 289

Blepharoplast, in spermatid of liverwort *Marchantia polymorpha*, structure of, spermatogenesis in hepaticae, EM study, 603

Blood, whole, of dog, mechanism of extrusion of mitochondria from phenylhydrazine-induced reticulocytes in, EM study, 103

Brain, of mouse, fine structural changes in entorhinal cortex induced by puromycin, EM study, 379

Brain, of rat, fine structure of lateral vestibular nucleus of, with reference to neurons and neuroglial cells, EM study, 151

C

Calcium metabolism and effects of parathyroid hormone on, of HeLa cells, physiologic study, 567

Capillaries, lymphatic, in connective tissue of guinea pig and mouse, structure of anchoring filaments on, EM study, 129

Cat, cardiac muscle, sporadic occurrence in of anomalous Z bands with periodic structure suggestive of tropomyosin, EM study, 266

Cell cultures and viruses, use of Millipore filters in ultrastructural studies of, 231

— differentiation, synchronization of, and intercellular bridges, during oogenesis of rabbit, EM study, 276

—, Langerhans, in human epidermis, serial reconstruction of characteristic granule of, EM study, 595

— proliferation in regenerating liver of rat after partial hepatectomy, kinetics of, analysis of temporal and spatial patterns of DNA synthesis and mitosis in different cell populations, EM radioautographic study, 551

Cell-substratum interface, extracellular material in, of cultured epidermal cells and fibroblasts of human, fine structure of, EM study, 406

Cells, A and D, of endocrine pancreas of rabbit, fine structure of in islets in vivo and incubated in vitro, mechanism of secretion, EM study, 33

—, cultured, mechanism of cytotoxic action of pederine (extracted from insect *Paederus fuscipes*) on, analysis of effects on cell morphology and on protein and DNA syntheses in several cell lines in vitro, light microscope and biochemical study, 485

—, cultured ovarian, of hamster, RNA synthesis in, differential synthetic rate for ribosomal RNA in early and late interphase, biochemical study, 583

—, epidermal, and fibroblasts, cultured, of human, fine structure of cell attachment to substratum, EM study, 406

—, HeLa, calcium metabolism and effects of parathyroid hormone on, physiologic study, 567

Cells, HeLa, effect of puromycin on intranuclear steps in ribosome biosynthesis, biochemical study, 91
—, HeLa, synchronized, morphology of centrioles during phases of mitotic cycle of, EM study, 329
— in primary culture, derived from human basal cell carcinoma, effect of colchicine on mosaic patterns in, time-lapse cinemicrographic study, 399
—, L, cultured, inhibition of protein synthesis in noninfected cells by partially purified interferon preparation obtained from cells infected with Newcastle disease virus, biochemical study, 617
—, L, nuclear binding of exogenous histones by at low pH, biochemical and fluorescence study, C1
—, mammalian, large-scale separation of mixtures of into homogeneous fractions of viable whole cells by zonal centrifugation, analysis of cell viability, 369
—, of rat hepatomas, formation of membrane-glycogen arrays in, EM study, 410
—, parenchymal, of rat liver, localization of β-glucuronidase activity in by use of simultaneous-coupling azo dye technique, EM cytochemical study, 289
—, posterior silk gland, of silkworm *Bombyx mori*, extrusion of nuclear materials into cytoplasm of, EM study, C5
—, strain KB, structure of subsurface and intracytoplasmic confronting cisternae in, EM study, 443
Centrioles, of synchronized HeLa cells, morphology of during phases of mitotic cycle, EM study, 329
Chick, chorioallantoic membrane, fine structural changes in after infection with Rous sarcoma virus, EM study, 299
— embryo, cultured breast muscle, effect of mitotic inhibitors (especially colchicine) on myogenesis in vitro, microscopic study, 111
Chloroplasts, isolated by nonaqueous extraction, of bean plant, ultrastructure of, EM study, 270
Chorioallantoic membrane, of chick, fine structural changes in after infection with Rous sarcoma virus, EM study, 299
Chromatoid bodies of cysts of *Entamoeba invadens*, isolation of ribosomes from, biochemical and EM study, 45
Cilia, of *Tetrahymena pyriformis*, some properties of protein in outer fibers of, biochemical study, 79
Cisternae, subsurface and intracytoplasmic confronting, in strain KB cells, structure of, EM study, 443
Colchicine, effect of on mosaic patterns in cells in primary culture derived from human basal cell carcinoma, time-lapse cinemicrographic study, 399
— and other mitotic inhibitors, effect of on myogenesis in vitro, in cultured breast muscle of embryonic chick, microscopic study, 111
Collecting tubules, isolated, of rabbit kidney, effect of vasopressin on during perfusion with isotonic and hypotonic solutions, mechanism of water transport, EM study, 355
Confronting cisternae, subsurface and intracytoplasmic, in strain KB cells, structure of, EM study, 443
Connective tissue, in guinea pig and mouse, structure of filaments anchoring lymphatic capillaries in, EM study, 129
Cortex, entorhinal, of mouse brain, fine structural changes induced by puromycin, EM study, 379
Cysts, of *Entamoeba invadens*, isolation of ribosomes from chromatoid bodies of, biochemical and EM study, 45

D

DNA, micronuclear, in *Paramecium trichium*, variations in relative amounts of during mitotic cycle and meiotic divisions, microphotometric study, 664
— and protein syntheses and cell morphology, analysis of effects of pederine (extracted from insect *Paederus fuscipes*) on, mechanism of cytotoxic action in several cell lines in vitro, light microscope and biochemical study, 485
— synthesis and mitosis in different cell populations in regenerating liver of rat after partial hepatectomy, analysis of temporal and spatial patterns of, kinetics of cell proliferation, EM radioautographic study, 551
Dog, whole blood, mechanism of extrusion of mitochondria from phenylhydrazine-induced reticulocytes in, EM study, 103

E

Embedding of cultured cells and viruses for ultrastructural studies, use of Millipore filters in, 231
Endomysium and contractile apparatus and sarcoplasmic reticulum, structure and organization of in obliquely striated body muscle of bloodworm *Glycera*, relationship to speed of contraction, EM study, 245
Epidermal (sternal) gland, of *Zootermopsis* spp., morphological and functional aspects of, structure and relationships of three cell layers (columnar, secretory, basal) including campaniform sensilla, light and EM study, 527
Epidermis, of human, serial reconstruction of characteristic granule of Langerhans cell, EM study, 595
Epithelium, of frog skin, some morphological aspects of active sodium transport in, light and EM and bioelectric study, 625
Estrogen treatment in castrate rats, fine structural changes in uterine smooth muscle fibers after, relationship to functional changes, EM study, 639
Ethionine, disorganization of cell nucleoli in rat liver induced by, reversal following adenine treatment, EM study, 313

F

Fat body, of insect *Calpodes ethlius*, protein uptake into multivesicular bodies and storage granules in, light and EM histochemical study, 453
Fibers, of striated muscle of mouse tongue, glycogen-membrane complexes within, EM study, 648
—, of thoracic indirect flight muscle of cockroach *Leucophaea maderae*, filament lattice of, EM study, 433
—, outer, of cilia, of *Tetrahymena pyriformis*, some properties of protein in, biochemical study, 79
—, Purkinje and ventricular, in mammalian cardiac muscle, comparative morphology of, light and EM study, 497
—, smooth muscle, of rat uterus, fine structural changes of in castrates after estrogen treatment, relationship to functional changes, EM study, 639
Fibroblasts, L strain, penetration of reovirus RNA and initiation of its genetic function in, biochemical and EM study, 197
Filament lattice, of thoracic indirect flight muscle of cockroach *Leucophaea maderae*, EM study, 433
Filaments, anchoring, on lymphatic capillaries in connective tissue of guinea pig and mouse, structure of, EM study, 129
— (contractile) and sarcoplasmic reticulum and endomysium, structure and organization of in obliquely striated body muscle of bloodworm *Glycera*, relationship to speed of contraction, EM study, 245
Filters, Millipore, use of in ultrastructural studies of cell cultures and viruses, 231
Fractionation of mixtures of mammalian cells, method of obtaining homogeneous fractions of viable whole cells by zonal centrifugation, analysis of cell viability, 369
Frog, skin, some morphological aspects of active sodium transport in epithelium of, light and EM and bioelectric study, 625

G

Germ cell differentiation, synchronization of, and intercellular bridges, during oogenesis of rabbit, EM study, 276
Glial cells and neurons, fine structure of lateral vestibular nucleus of rat brain, EM study, 151
Glycogen-membrane arrays, formation of in cells of rat hepatomas, EM study, 410
— complexes, in striated muscle fibers of mouse tongue, EM study, 648
Golgi apparatus, in *Tetrahymena pyriformis*, appearance of in sexually active types when mixed for mating, EM study, 391
Granule, of Langerhans cell in human epidermis, serial reconstruction of, EM study, 595
Granules (storage) and multivesicular bodies, in fat body of insect *Calpodes ethlius*, protein uptake into, light and EM histochemical study, 453
Guinea pig and mouse, connective tissue, structure of filaments anchoring lymphatic capillaries in, EM study, 129
—, testis, localization of acid phosphatase in lipofuscin granules and possible autophagic vacuoles in interstitial cells of, EM cytochemical study, 1

H

Hamster, cultured ovarian cells, RNA synthesis in, differential synthetic rate for ribosomal RNA in early and late interphase, biochemical study, 583
Heart muscle, of cat, sporadic occurrence in of anomalous Z bands with periodic structure suggestive of tropomyosin, EM study, 266
—, of rat, synthesis and intracellular transport and storage of lipids, after perfusion with tritiated oleic acid, EM radioautographic study, 63
HeLa cells, calcium metabolism and effects of parathyroid hormone on, physiologic study, 567
— cells, effect of puromycin on intranuclear steps in ribosome biosynthesis, biochemical study, 91
— cells, synchronized, morphology of centrioles during phases of mitotic cycle of, EM study, 329
Hepatomas, of rat, formation of membrane-glycogen arrays in cells of, EM study, 410
Histones, exogenous, nuclear binding of by L cells at low pH, biochemical and fluorescence study, C1
Human cultured cells, derived from primary culture of basal cell carcinoma, effect of colchicine on mosaic patterns in, time-lapse cinemicrographic study, 399
—, cultured epidermal cells and fibroblasts, fine structure of cell attachment to substratum, EM study. 406
—, epidermis, serial reconstruction of characteristic granule of Langerhans cell, EM study, 595
Hypertrophy of skeletal muscle, work-induced, in hypophysectomized male rats, protein synthesis during, biochemical study, 653

I

Insect, *Calpodes ethlius*, protein uptake into multivesicular bodies and storage granules in fat body of, light and EM histochemical study, 453
—, cockroach *Leucophaea maderae*, filament lattice of thoracic indirect flight muscle, EM study, 433
—, grasshopper, thymidine pool in neuroblasts during mitosis, radioautographic study, 282
—, moth *Bombyx mori*, extrusion of nuclear materials into cytoplasm in posterior silk gland cells of silkworm, EM study, C5
—, *Paederus fuscipes*, mechanism of cytotoxic action of pederine extracted from, analysis of effects on cell morphology and on protein and DNA syntheses in several cell lines in vitro, light microscope and biochemical study, 485
—, *Zootermopsis* spp., morphological and functional aspects of epidermal (sternal) gland in, structure and relationships of three cell layers (columnar, secretory, basal) including campaniform sensilla, light and EM study, 527
Interface, cell-substratum, extracellular material in, of cultured epidermal cells and fibroblasts of human, fine structure of, EM study, 406
Interferon preparation partially purified, obtained

from cultured L cells infected with Newcastle disease virus, inhibition of protein synthesis in noninfected cells by, biochemical study, 617
Interstitial cells, of guinea pig testis, localization of acid phosphatase in lipofuscin granules and possible autophagic vacuoles in, EM cytochemical study, 1
Islets of Langerhans, of rabbit pancreas, fine structure of A and D cells of, in vivo and after incubation in vitro, EM study, 33

K

Kidney, of rabbit, effect of vasopressin on isolated collecting tubules of during perfusion with isotonic and hypotonic solutions, mechanism of water transport, EM study, 355

L

Lamellae, annulate, in oocytes of echinoderm and frog, and in spermatocytes of crayfish, fine structure of with reference to granules and fibrils associated with dense material, EM study, 658
Langerhans cell, in human epidermis, serial reconstruction of characteristic granule of, EM study, 595
—, islets of, in rabbit pancreas, fine structure of A and D cells of, in vivo and after incubation in vitro, EM study, 33
L cells, cultured, inhibition of protein synthesis in noninfected cells by partially purified interferon preparation obtained from cells infected with Newcastle disease virus, biochemical study, 617
— cells, nuclear binding of exogenous histones by at low pH, biochemical and fluorescence study, C1
Lipids, synthesis and intracellular transport and storage of, in rat heart, after perfusion with tritiated oleic acid, EM radioautographic study, 63
Lipofuscin granules and possible autophagic vacuoles, in interstitial cells of guinea pig testis, localization of acid phosphatase in, EM cytochemical study, 1
Liver mitochondria, isolated, of rat, effects of osmotic lysis on oxidative phosphorylation and compartmentation of, biochemical and EM study, 15
—, of rat, disorganization of cell nucleoli induced by ethionine and its reversal by adenine, EM study, 313
—, of rat, kinetics of cell proliferation in regenerating organ after partial hepatectomy, analysis of temporal and spatial patterns of DNA synthesis and mitosis in different cell populations, EM radioautographic study, 551
—, of rat, localization of β-glucuronidase activity in parenchymal cells of by use of simultaneous-coupling azo dye technique, EM cytochemical study, 289
L-strain fibroblasts, penetration of reovirus RNA and initiation of its genetic function in, biochemical and EM study, 197
Lymphatic capillaries, in connective tissue of guinea pig and mouse, structure of anchoring filaments on, EM study, 129
Lysosomes (neutral red granules), ductal excretion of in mouse pancreas, light microscope cytochemical study, 261

M

Mammalian cardiac muscle, comparative morphology of Purkinje and ventricular fibers, light and EM study, 497
— cells, large-scale separation of mixtures of into homogeneous fractions of viable whole cells by zonal centrifugation, analysis of cell viability, 369
Mating in *Tetrahymena pyriformis*, appearance of typical Golgi apparatus in sexually active types in conjugation, EM study, 391
Meiotic divisions and mitotic cycle, in *Paramecium trichium*, variations in relative amounts of micronuclear DNA during, microphotometric study, 664
Membrane, chorioallantoic, of chick, fine structural changes in after infection with Rous sarcoma virus, EM study, 299
Membrane-glycogen arrays, formation of in cells of rat hepatomas, EM study, 410
— complexes, in striated muscle fibers of mouse tongue, EM study, 648
Micronuclear DNA, in *Paramecium trichium*, variations in relative amounts of during mitotic cycle and meiotic divisions, microphotometric study, 664
Millipore filters, use of in ultrastructural studies of cell cultures and viruses, 231
Mitochondria, in cultured adrenal of rat, effects of actinomycin D and puromycin on ACTH-induced ultrastructural transformation of in cortical cells, EM study, 181
—, isolated, of rat liver, effects of osmotic lysis on oxidative phosphorylation and compartmentation of, biochemical and EM study, 15
—, mechanism of extrusion of from phenylhydrazine-induced reticulocytes in whole blood of dog, EM study, 103
Mitosis and DNA synthesis in different cell populations in regenerating liver of rat after partial hepatectomy, analysis of temporal and spatial patterns of, kinetics of cell proliferation, EM radioautographic study, 551
—, thymidine pool in grasshopper neuroblasts during, radioautographic study, 282
Mitotic cycle and meiotic divisions, in *Paramecium trichium*, variations in relative amounts of micronuclear DNA during, microphotometric study, 664
— cycle, of synchronized HeLa cells, morphology of centrioles during phases of, EM study, 329
— inhibitors (especially colchicine), effect of on myogenesis in vitro, in cultured breast muscle of embryonic chick, microscopic study, 111
Mosaic patterns in cultured cells derived from primary culture of human basal cell carcinoma, effect of colchicine on, time-lapse cinemicrographic study, 399

Mouse, brain, fine structural changes in entorhinal cortex induced by puromycin, EM study, 379
—, pancreas, ductal excretion of neutral red granules (lysosomes) in, light microscope cytochemical study, 261
—, tongue striated muscle, glycogen-membrane complexes within fibers, EM study, 648
Multivesicular bodies and storage granules in fat body of insect *Calpodes ethlius*, protein uptake into, light and EM histochemical study, 453
Muscle, cardiac, of cat, sporadic occurrence in of anomalous Z bands with periodic structure suggestive of tropomyosin, EM study, 266
—, embryonic chick breast, cultured, effect of mitotic inhibitors (especially colchicine) on myogenesis in vitro, microscopic study, 111
— fibers, smooth, of rat uterus, fine structural changes of in castrates after estrogen treatment, relationship to functional changes, EM study, 639
—, mammalian cardiac, comparative morphology of Purkinje and ventricular fibers, light and EM study, 497
—, obliquely striated (body), of bloodworm *Glycera*, structure and organization of sarcoplasmic reticulum and contractile apparatus and endomysium of, relationship to speed of contraction, EM study, 245
—, skeletal, protein synthesis during work-induced hypertrophy of, in hypophysectomized male rats, biochemical study, 653
—, striated, in mouse tongue, glycogen-membrane complexes within fibers of, EM study, 648
—, thoracic indirect flight, of cockroach *Leucophaea maderae*, filament lattice of, EM study, 433
Myogenesis in vitro, in cultured breast muscle of embryonic chick, effect of mitotic inhibitors (especially colchicine) on, microscopic study, 111

N

Nerve fibers, giant, of squid, fine structural alterations in Schwann sheath and axon produced by action of snake venoms, EM study, 341
Neuroblasts, of grasshopper, thymidine pool in during mitosis, radioautographic study, 282
Neurons and neuroglia, fine structure of lateral vestibular nucleus of rat brain, EM study, 151
Neutral red granules (lysosomes), ductal excretion of in mouse pancreas, light microscope cytochemical study, 261
Nuclear binding of exogenous histones by L cells at low pH, biochemical and fluorescence study, C1
— proteins, of *Amoeba proteus*, turnover and changes in distribution of with time and growth, nucleocytoplasmic interactions, radioautographic study, 53
Nucleocytoplasmic exchange, extrusion of nuclear materials into cytoplasm in posterior silk gland cells of silkworm *Bombyx mori*, EM study, C5
— interactions, proteins in, of *Amoeba proteus*, turnover and changes in distribution of nuclear proteins with time and growth, radioautographic study, 53
Nucleoli, of rat liver cells, disorganization of induced by ethionine and its reversal by adenine, EM study, 313
Nucleus, extrusion into cytoplasm of materials from, in posterior silk gland cells of silkworm *Bombyx mori*, EM study, C5
— , of amphibian oocyte, ribonucleoprotein particles in, possible intermediates in ribosome synthesis, biochemical study, 421

O

Oocyte, amphibian, ribonucleoprotein particles in nucleus of, possible intermediates in ribosome synthesis, biochemical study, 421
Oocytes, of echinoderm and frog, and spermatocytes of crayfish, fine structure of annulate lamellae with reference to granules and fibrils associated with dense material, EM study, 658
Oogenesis, of rabbit, intercellular bridges and synchronization of germ cell differentiation during, EM study, 276
Osmotic lysis of isolated mitochondria, of rat liver, effects of on oxidative phosphorylation and compartmentation, biochemical and EM study, 15
Oxidative phosphorylation and compartmentation of isolated mitochondria, of rat liver, effects of osmotic lysis on, biochemical and EM study, 15

P

Pancreas, endocrine, of rabbit, fine structure of A and D cells in islets in vivo and incubated in vitro, mechanism of secretion, EM study, 33
—, of mouse, ductal excretion of neutral red granules (lysosomes) in, light microscope cytochemical study, 261
Parathyroid hormone, effects of on calcium metabolism in HeLa cells, physiologic study, 567
Pederine, extracted from insect *Paederus fuscipes*, mechanism of cytotoxic action of, analysis of effects of on cell morphology and on protein and DNA syntheses in several cell lines in vitro, light microscope and biochemical study, 485
Phosphodiesterase and ribonuclease and acid phosphatase, activity of in *Tetrahymena pyriformis* during growth, biochemical analysis of cell homogenates, 415
Plant, bean *Vicia faba*, ultrastructure of chloroplasts isolated by nonaqueous extraction, EM study, 270
—, cotton *Gossypium hirsutum*, polysome formation in zygote of, EM study, 403
—, liverwort *Marchantia polymorpha*, structure of blepharoplast in spermatid of, spermatogenesis in hepaticae, EM study, 603
Polysome formation, in zygote of cotton plant *Gossypium hirsutum*, EM study, 403
Protein and DNA syntheses and cell morphology, analysis of effects of pederine (extracted from insect *Paederus fuscipes*) on, mechanism of cytotoxic action in several cell lines in vitro, light microscope and biochemical study, 485
—, of outer fibers of cilia, of *Tetrahymena pyriformis*, some properties of, biochemical study, 79

Protein synthesis during work-induced hypertrophy of skeletal muscle, in hypophysectomized male rats, biochemical studies, 653
— synthesis, inhibition of in noninfected cultured L cells by partially purified interferon preparation obtained from cells infected with Newcastle disease virus, biochemical study, 617
— uptake into multivesicular bodies and storage granules in fat body of insect *Calpodes ethlius*, light and EM histochemical study, 453
Proteins, nuclear, of *Amoeba proteus*, turnover and changes in distribution of with time and growth, nucleocytoplasmic interactions, radioautographic study, 53
Protozoan, *Amoeba proteus*, turnover and changes in distribution of nuclear proteins with time and growth, nucleocytoplasmic interactions, radioautographic study, 53
—, *Entamoeba invadens*, isolation of ribosomes from chromatoid bodies of cysts of, biochemical and EM study, 45
—, *Paramecium trichium*, variations in relative amounts of micronuclear DNA during mitotic cycle and meiotic divisions, microphotometric study, 664
—, *Tetrahymena pyriformis*, activity of ribonuclease and acid phosphatase and phosphodiesterase during growth of, biochemical analysis of cell homogenates, 415
—, *Tetrahymena pyriformis*, appearance of typical Golgi apparatus in sexually active types when mixed for mating, EM study, 391
—, *Tetrahymena pyriformis*, some properties of protein in outer fibers of cilia of, biochemical study, 79
Purkinje and ventricular fibers, in mammalian cardiac muscle, comparative morphology of, light and EM study, 497
Puromycin and actinomycin D, effects of on ACTH-induced ultrastructural transformation of mitochondria in cortical cells of cultured adrenal of rat, EM study, 181
—, effect of on intranuclear steps in ribosome biosynthesis in HeLa cells, biochemical study, 91
Puromycin-induced changes in entorhinal cortex of mouse brain, fine structure of, EM study, 379

R

Rabbit, endocrine pancreas, fine structure of A and D cells in islets in vivo and incubated in vitro, mechanism of secretion, EM study, 33
—, kidney, effect of vasopressin on isolated collecting tubules of during perfusion with isotonic and hypotonic solutions, mechanism of water transport, EM study, 355
—, oogenesis, intercellular bridges and synchronization of germ cell differentiation during, EM study, 276
Radioactive label, amino acids-^{3}H, inhibition of protein synthesis in noninfected cultured L cells by partially purified interferon preparation obtained from cells infected with Newcastle disease virus, biochemical study, 617
Radioactive label, amino acids-^{3}H, turnover and changes in distribution of nuclear proteins with time and growth, of *Amoeba proteus*, nucleocytoplasmic interactions, radioautographic study, 53
— label, ^{45}Ca, calcium metabolism and effects of parathyroid hormone on, of HeLa cells, physiological study, 567
— label, leucine-^{14}C, protein synthesis during work-induced hypertrophy of skeletal muscle, in hypophysectomized male rats, biochemical study, 653
— label, methionine-Me-^{14}C, uridine-^{3}H, thymidine-^{3}H, biochemical study of RNA synthesis in cultured ovarian cells of hamster, differential synthetic rate for ribosomal RNA in early and late interphase, 583
— label, oleic acid-^{3}H, synthesis and intracellular transport and storage of lipids, of rabbit heart perfused with, EM radioautographic study, 63
— label, thymidine-^{3}H, kinetics of cell proliferation in regenerating liver of rat after partial hepatectomy, analysis of temporal and spatial patterns of DNA synthesis and mitosis in different cell populations, EM radioautographic study, 551
— label, thymidine-^{3}H, thymidine pool in grasshopper neuroblasts during mitosis, radioautographic study, 282
— label, thymidine-^{3}H, uridine-^{3}H, leucine-^{14}C, mechanism of cytotoxic action of pederine (extracted from insect *Paederus fuscipes*), analysis of effects on cell morphology and on protein and DNA syntheses in several cell lines in vitro, light microscope and biochemical study, 485
— label, tyrosine-^{3}H, protein uptake into multivesicular bodies and storage granules in fat body of insect *Calpodes ethlius*, light and EM histochemical study, 453
— label, uridine-^{3}H, cytidine-^{3}H, orthophosphate-^{32}P, leucine-^{14}C, penetration of reovirus RNA and initiation of its genetic function in L-strain fibroblasts, biochemical and EM study, 197
— label, uridine-^{3}H, methionine-Me-^{14}C, uridine-^{14}C, effect of puromycin on intranuclear steps in ribosome biosynthesis in HeLa cells, biochemical study, 91
— label, uridine-^{3}H, protein hydrolysate-^{14}C, biochemical study of ribonucleoprotein particles in amphibian oocyte nucleus, possible intermediates in ribosome synthesis, 421
Rat, adrenal, cultured, effects of actinomycin D and puromycin on ACTH-induced ultrastructural transformation of mitochondria of cortical cells in, EM study, 181
—, brain, fine structure of lateral vestibular nucleus of, with reference to neurons and neuroglial cells, EM study, 151
—, heart, synthesis and intracellular transport and storage of lipids, after perfusion with tritiated oleic acid, EM radioautographic study, 63
—, hepatomas, formation of membrane-glycogen arrays in cells of, EM study, 410
—, hypophysectomized males, protein synthesis during work-induced hypertrophy of skeletal muscle, biochemical study, 653

Rat, liver, disorganization of cell nucleoli induced by ethionine and its reversal by adenine, EM study, 313
—, liver, effects of osmotic lysis on oxidative phosphorylation and compartmentation of isolated mitochondria of, biochemical and EM study, 15
—, liver, kinetics of cell proliferation in regenerating organ after partial hepatectomy, analysis of temporal and spatial patterns of DNA synthesis and mitosis in different cell populations, EM radioautographic study, 551
—, liver, localization of β-glucuronidase activity in parenchymal cells of by use of simultaneous-coupling azo dye technique, EM cytochemical study, 289
—, uterus, fine structural changes in smooth muscle fibers of in castrates after estrogen treatment, relationship to functional changes, EM study, 639
Reovirus RNA, penetration of and initiation of genetic function of in L-strain fibroblasts, biochemical and EM study, 197
Reticulocytes, phenylhydrazine-induced, in whole blood of dog, mechanism of extrusion of mitochondria from, EM study, 103
Ribonuclease and acid phosphatase and phosphodiesterase, activity of in *Tetrahymena pyriformis* during growth, biochemical analysis of cell homogenates, 415
Ribonucleoprotein particles in nucleus of amphibian oocyte, possible intermediates in ribosome synthesis, biochemical study, 421
Ribosomal RNA, differential synthetic rate for in early and late interphase, in cultured ovarian cells of hamster, biochemical study, 583
Ribosome biosynthesis, intranuclear steps in, of HeLa cells, effect of puromycin on, biochemical study, 91
— synthesis, ribonucleoprotein particles in amphibian oocyte nucleus, possible intermediates in, biochemical study, 421
Ribosomes, formation of polysomes in zygote of cotton plant *Gossypium hirsutum*, EM study, 403
—, of *Entamoeba invadens*, isolation of from chromatoid bodies of cysts of, biochemical and EM study, 45
RNA, of reovirus, penetration of and initiation of genetic function of in L-strain fibroblasts, biochemical and EM study, 197
— synthesis in cultured ovarian cells, of hamster, differential synthetic rate for ribosomal RNA in early and late interphase, biochemical study, 583

S

Sarcoplasmic reticulum and contractile apparatus and endomysium, structure and organization of in obliquely striated body muscle of bloodworm *Glycera*, relationship to speed of contraction, EM study, 245
Schwann sheath and axon, of squid giant nerve fibers, fine structural alterations produced by action of snake venoms, EM study, 341
Silk gland cells, posterior, of silkworm *Bombyx mori*, extrusion of nuclear materials into cytoplasm of, EM study, C5
Skin, of frog, some morphological aspects of active sodium transport in epithelium of, light and EM and bioelectric study, 625
—, of human, serial reconstruction of characteristic granule of Langerhans cell in epidermis of, EM study, 595
Sodium transport, active, in epithelium of frog skin, some morphological aspects of, light and EM and bioelectric study, 625
Spermatid, of liverwort *Marchantia polymorpha*, structure of blepharoplast in, spermatogenesis in hepaticae, EM study, 603
Spermatocytes, of crayfish, and oocytes of echinoderm and frog, fine structure of annulate lamellae with reference to granules and fibrils associated with dense material, EM study, 658
Spermatogenesis in hepaticae, structure of blepharoplast in spermatid of liverwort *Marchantia polymorpha*, EM study, 603
Squid, giant nerve fibers, fine structural alterations in Schwann sheath and axon produced by action of snake venoms, EM study, 341
Sternal (epidermal) gland, in insect *Zootermopsis* spp., morphological and functional aspects of, structure and relationships of three cell layers (columnar, secretory, basal) including campaniform sensilla, light and EM study, 527
Substratum-cell interface, extracellular material in, of cultured epidermal cells and fibroblasts of human, fine structure of, EM study, 406

T

Testis, of guinea pig, localization of acid phosphatase in lipofuscin granules and possible autophagic vacuoles in interstitial cells of, EM cytochemical study, 1
Thymidine pool in grasshopper neuroblasts during mitosis, radioautographic study, 282
Transport, active sodium, in epithelium of frog skin, some morphological aspects of, light and EM and bioelectric study, 625
Tropomyosin, sporadic occurrence of anomalous Z bands with periodic structure suggestive of, in cardiac muscle of cat, EM study, 266
Tubules, collecting, isolated, of rabbit kidney, effect of vasopressin on during perfusion with isotonic and hypotonic solutions, mechanism of water transport, EM study, 355

U

Uterus, of rat, fine structural changes in smooth muscle fibers of in castrates after estrogen treatment, relationship to functional changes, EM study, 658

V

Vasopressin, effect of on isolated collecting tubules of rat kidney during perfusion with isotonic and hypotonic solutions, mechanism of water transport, EM study, 355

Venoms, snake, action on squid giant nerve fibers, fine structural alterations in Schwann sheath and axon produced by, EM study, 341
Ventricular and Purkinje fibers, in mammalian cardiac muscle, comparative morphology of, light and EM study, 497
Vestibular nucleus (lateral), of rat brain, fine structure of with reference to neurons and neuroglial cells, EM study, 151
Virus, Newcastle disease, partially purified interferon preparation obtained from cultured L cells infected with, inhibition of protein synthesis in noninfected cells by interferon, biochemical study, 617
—, Rous sarcoma, fine structural changes in chick chorioallantoic membrane after infection with, EM study, 299
Viruses and cell cultures, use of Millipore filters in ultrastructural studies of, 231

Z

Z bands, anomalous, exhibiting periodic structure suggestive of tropomyosin, in cardiac muscle of cat, EM study, 266
Zonal centrifugation, use of in fractionation of mixtures of mammalian cells, method of obtaining homogeneous fractions of viable whole cells, analysis of cell viability, 369
Zygote, of cotton plant *Gossypium hirsutum*, polysome formation in, EM study, 403